

RElift





MAKE THE DIFFERENCE



www.relift.in Info@relift.in

Electric Stacker

- **REST1630**
- **REST2030**



STANDARD FEATURES
Compact Design
Light Weight
High Lifting Capacity
Heavy Load Bearing
Small Turning Radius
Narrow Passage Use
Buffer Lift Cylinder
Safe Cargo Descent
Smooth Lowering Action
Enhanced Safety
Adjustable Steering Wheel
Adjustable Seat
Ergonomic Operation
Operator Comfort
Customizable Positioning
New Headlight Design
High Durability Lights
Night Operation Ready
Improved Visibility
Low-Light Safety
Emergency Power Switch
Quick Power Cut-off
Right-Side Access
Operator Protection



TECHNICAL PARAMETERS

REST1630/2030

MODEL	REST1630	REST2030
TECHNICAL DATA		
Height of mast, lowered	1999 mm	1999 mm
Free lift	166 mm	166 mm
Lift	3000 mm	3000 mm
Height of mast, extended	3408 mm	3408 mm
Overall height (With handle) / Lowered fork height	1440 mm	1440 mm
Overall length	85 mm	85 mm
Length to fork face	890 mm	890 mm
Overall width	808 mm	808 mm
Fork dimensions	180 mm	180 mm
Width of forks	570 mm	570 mm
Min ground clearance	24 mm	24 mm
Aisle width with pallet 1000 × 1200 across forks	2452 mm	2452 mm
Aisle width with pallet 800 × 1200 along forks	2432 mm	2432 mm
Min turning radius	1570 mm	1570 mm
Axle center to fork face	673 mm	673 mm
Track width	580 mm	580 mm
Wheel base	1332 mm	1332 mm
Service weight with battery	1065 kg	1090 kg
Rated traction Weight	1600 kg	2000 kg
PERFORMANCE		
Travel speed, laden/unladen	5.2 / 5.5 km/h	5.2 / 5.5 km/h
Lifting speed, with/without load	80 / 130 mm	70 / 130 mm
Lowering speed, with/without load	180 / 180 mm	180 / 180 mm
Type of drive control	AC	AC
Service brake	Electromagnetic	Electromagnetic
Drive motor, 60 minute rating	2.5 kW	2.5 kW
Lift motor rating at S3 15%	3 kW	3 kW
Battery voltage / rated capacity	24 / 210 V/Ah	24 / 210 V/Ah
Battery weight (±5%)	190 kg	190 kg
Type of steering	Electric	Electric



RElift

MAKE THE DIFFERENCE

HEADQUARTERS

Office No. 103, 104 Plan S Business Park, Plot no
D 108/1, opp. D.Y.Patil Stadium, MIDC Industrial
Area, Nerul, Navi Mumbai, Maharashtra 400705
Mobile : +91- 7456025602



MEMBER OF
APAO
Aerial Platform Association of India

www.relift.in | Info@relift.in